



Krono
Original[®]
High Quality

Made by Kronospan

everyone's
favourite flooring



KRONOSPAN. THE HOME OF QUALITY FLOORING

Krono
Original[®]
High Quality
Made by Kronospan

EUROHOME
enjoy living



mo.re!
Vinyl Flooring by Kronospan

ROCKO
Vinyl Flooring by Kronospan

Kronostep



The home of quality flooring.

Collections



ATLANTIC 12	4
ATLANTIC 8	8
SUPER NATURAL	14
VINTAGE	22
COLLECTION ART	28
EASY TOUCH	32
COLLECTION COUNTRY	34
H ₂ O FLOOR	36
IMPRESSIONS	40
ROCKO	44
KRONOSTEP	50
ROCKO WALL SYSTEM	52
KRONOWALL 3D	56

■ Features guide	58
■ Textures	60
■ Product Summary	62
■ Environment	63

Welcome to our most versatile collection of flooring, including new ranges of water resistant Atlantic and H₂O brands, and Stone Polymer Composite (SPC) floors that employ a limestone substructure for reliably solid stability. Add the new 10mm Vintage Classic decors, new Super Natural and Collection Art designs, all on-trend and allied with high performance construction means we offer the perfect floor for every style of home. Then there's Kronowall 3D, a planked wall design statement harnessing all the qualities of our floors, but on the wall. Sustainable manufacturing, ongoing CO₂ storage and 100% recyclability means our flooring is also the environmentally friendly option.

KRONOSPAN. THE HOME OF QUALITY FLOORING



ATLANTIC 12



5542 Boulder Oak

AC5 | Class 33

The laminate floor that can simply do more.

thickness	12 mm
format	1285 x 192 mm
coverage	1.48m ² per pack
lock	1clic 2go pure

- Suitable for all rooms
- 48 hours of splash-water protection*
- 30 years guarantee¹
- 4 sided v-groove
- A.B.C Anti bacterial coating²
- Microscratch protect
- Pet proof
- Eco-friendly - natural wood, sustainably sourced






* According to works standard specification KRONOSPAN WN-103, www.floor-with-more.com.1) Detailed terms of guarantee: www.euro-home.com
2) Tested germs: Staphylococcus aureus



5541 Bedrock Rock

ATLANTIC 12



ATLANTIC 8



K463 Weathered Volcano Oak

AC4 | Class 32

The laminate floor that can simply do more.

thickness	8 mm
format	1285 x 192 mm
coverage	2.22m ² per pack
lock	1cllic 2go pure

- Suitable for all domestic rooms
- 48 hours of splash-water protection*
- 20 years guarantee¹
- 4 sided v-groove
- A.B.C Anti bacterial coating²
- Microscratch protect
- Pet proof
- Eco-friendly - natural wood, sustainably sourced



* According to works standard specification KRONOSPAN WN-103, www.floor-with-more.com.1) Detailed terms of guarantee: www.euro-home.com
2) Tested germs: Staphylococcus aureus



K481 Urban Heritage Chestnut

ATLANTIC 8



K469 Tortilla Cashmere Oak

K460 Orchid Oak


Planked, Nature Line (NL)

K451 Silverdale Oak

Planked, Authentic Embossed (HO)

K472 Dove Cashmere Oak

Planked, Nature Line (NL)




K392 Atomic Oak

Planked, Authentic Embossed (RO)




K463 Weathered Volcano Oak

Planked, Nature Line (NL)




K469 Tortilla Cashmere Oak

Planked, Nature Line (NL)




K453 Biscotti Oak

Planked, Authentic Embossed (HO)



K452 Ashland Oak

Planked, Authentic Embossed (HO)




K326 Sundance Oak

Planked, Authentic Embossed (RO)

ATLANTIC 8




K461 Antique Volcano Oak




K481 Urban Heritage Chestnut
Planked, Nature Line (NL)




K471 Antique Cashmere Oak
Planked, Grained Timber (GT)



K450 Firebrand Oak
Planked, Authentic Embossed (HO)



K327 Hillside Oak
Planked, Authentic Embossed (RO)



K461 Antique Volcano Oak
Planked, Nature Line (NL)



K480 Colonial Heritage Chestnut
Planked, Nature Line (NL)



SUPER
NATURAL

8575 Blonde Oak

AC4 | Class 32

A new depth of realism.

thickness	8 mm
format	1285 x 192 mm
coverage	2.22m² per pack
lock	1clic 2go pure

- 20 years guarantee*
- 4 sided v-groove
- Authentic embossed - feel real texture¹
- A.B.C Anti bacterial coating**
- Eco-friendly - natural wood, sustainably sourced

* Detailed terms of guarantee: www.krono-original.com

** Tested germs: Staphylococcus aureus 1) Selected decors only



K057 Clearwater Oak

SUPER NATURAL




K484 Misty Sterling Oak



8630 Aspen Oak
Planked, Authentic Embossed (LP)



K484 Misty Sterling Oak
Planked. Nature Line (NL)



5543 Colorado Oak
Planked, Authentic Embossed (HC)



5542 Boulder Oak
Planked, Authentic Embossed (HC)



K418 Longbow Oak
Planked, Grained Timber (GT)



5946 Rockford Oak
Planked, Nature Line (NL)









4369 Dartmoor Oak
Planked, Rustic (RF)







K407 Ashenwood Oak
Planked, Grained Timber (GT)

SUPER NATURAL



SUPER NATURAL



VINTAGE



K477 Natural Carpenter Oak

AC4 | Class 32

A timeless combination.

thickness	10 mm
format	1285 x 192 mm
coverage	1.73m ² per pack
lock	1clic 2go pure

- 30 years guarantee*
- 4 sided v-groove
- A.B.C Anti bacterial coating**
- Microscratch protect
- Authentic embossed - feel real texture
- Eco-friendly - natural wood, sustainably sourced

* Detailed terms of guarantee: www.krono-original.com
 ** Tested germs: Staphylococcus aureus



K473 Pearl Scandi Larch

VINTAGE



K478 Mushroom Carpenter Oak



K475 Virgin Scandi Larch
Planked, Authentic Embossed (VS)



5953 Chantilly Oak
Planked, Authentic Embossed (HO)



K473 Pearl Scandi Larch
Planked, Authentic Embossed (VS)




K474 Oyster Scandi Larch
Planked, Authentic Embossed (VS)



K478 Mushroom Carpenter Oak
Planked, Authentic Embossed (CM)



K413 Blackwater Oak
Planked, Authentic Embossed (OE)










5943 Natural Hickory
Planked, Authentic Embossed (VH)



K477 Natural Carpenter Oak
Planked, Authentic Embossed (CM)

VINTAGE

**K412 Doubloon Oak****5947 Historic Oak**
Planked, Authentic Embossed (HO)**5537 Tawny Chestnut**
Planked, Authentic Embossed (RC)**K476 Inca Carpenter Oak**
Planked, Authentic Embossed (CM)**K412 Doubloon Oak**
Planked, Authentic Embossed (OE)**K411 Laguna Oak**
Planked, Authentic Embossed (OE)**K479 Espresso Carpenter Oak**
Planked, Authentic Embossed (CM)**8155 Appalachian Hickory**
Planked, Authentic Embossed (VH)**8156 Red River Hickory**
Planked, Authentic Embossed (VH)**K414 Corsair Oak**
Planked, Authentic Embossed (OE)

COLLECTION ART



8215 Ponderosa Pine

AC4 | Class 32

A master class in design.

thickness	12 mm
format	1285 x 192 mm
coverage	1.48m ² per pack
lock	1clic 2go pure

- 20 years guarantee*
- 4 sided v-groove
- A.B.C Anti bacterial coating**
- Eco-friendly - natural wood, sustainably sourced

* Detailed terms of guarantee: www.euro-home.com
 ** Tested germs: Staphylococcus aureus



4369 Dartmoor Oak


COLLECTION ART



K279 Westside Oak



5946 Rockford Oak
Planked, Rustic (RF)




5542 Boulder Oak
Planked, Rustic (RF)



4369 Dartmoor Oak
Planked, Rustic (RF)




8215 Ponderosa Pine
Planked, Rustic (RF)



8264 Brissac Oak
Planked, Rustic (RF)



5985 Sherwood Oak
Planked, Rustic (RF)



K279 Westside Oak
Planked, Grained Timber (GT)



7658 Dark Walnut
Planked, Rustic (RF)


EASY TOUCH



O251 Fresco Snow



O251 Fresco Snow
Planked, High Gloss (HG)



O522 Oak Uptown
Planked, High Gloss (HG)

AC4 | Class 32

High gloss.
High life.

thickness	8 mm
format	1383 x 159 mm
coverage	2.20m ² per pack
lock	Fold down


- 30 years guarantee
- 4 sided v-groove
- High gloss finish
- Eco-friendly - natural wood, sustainably sourced



O580 Oak Posino



O580 Oak Posino
Planked, High Gloss (HG)



O631 Maple Velvet
Planked, High Gloss (HG)

COLLECTION COUNTRY



8096 San Diego Oak


AC3 | Class 31

Great quality – unbelievable value.


thickness	7 mm
format	1285 x 192 mm
coverage	2.47m ² per pack
lock	Twin clic

- 15 years guarantee*
- 4 sided v-groove
- Eco-friendly - natural wood, sustainably sourced

* Detailed terms of guarantee: www.euro-home.com




8725 Aberdeen Oak



8725 Aberdeen Oak
Planked, Rustic (RF)



8096 San Diego Oak
Planked, Rustic (RF)

H₂O FLOOR

1528 Submarine Slate

AC5 | Class 33

The floor that's not afraid of water.

TILES


thickness	8 mm
format	635 x 327 mm
coverage	2.28m ² per pack
lock	1clic 2go pure

- 100 h+ splash-water protection*
- 30 years guarantee¹
- O.R.C.A. Organic Rigid Coreboard Antistatic²
- Microscratch protect
- 4 sided v-groove
- A.B.C Anti bacterial coating³
- Light-resistant⁴
- Pet proof
- Eco-friendly - natural wood, sustainably sourced



O.R.C.A.®
ORGANIC RIGID COREBOARD ANTISTATIC
MOISTURE DEFENSE TECHNOLOGY

*24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.100hour-test.com 1) The guarantee is valid for domestic use according to the conditions of guarantee. 2) Consists of natural wood and an organic chemical binder. 3) Tested germs: Staphylococcus aureus. 4) According to Level 6 of the Blue Wool Scale (method for calculating lightresistance).



1528 Submarine Slate
Tiled, Antique Stone (AS)



1526 Yukon Slate
Tiled, Authentic Embossed (OS)

H₂O FLOOR

PLANKS

thickness	8 mm
format	1285 x 192 mm
coverage	2.22m ² per pack
lock	1clic 2go pure

- 100 h+ splash-water protection*
- 30 years guarantee¹
- O.R.C.A. Organic Rigid Coreboard Antistatic²
- 4 sided v-groove
- A.B.C Anti bacterial coating³
- Microscratch protect
- Light-resistant⁴
- Pet proof
- Eco-friendly - natural wood, sustainably sourced



*24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.100hour-test.com 1) The guarantee is valid for domestic use according to the conditions of guarantee. 2) Consists of natural wood and an organic chemical binder. 3) Tested germs: Staphylococcus aureus. 4) According to Level 6 of the Blue Wool Scale (method for calculating light resistance).

1532 Atlantic Oak



1532 Atlantic Oak
Planked, Authentic Embossed (TO)




1531 Baltic Oak
Planked, Nature Line (NL)



1536 Michigan Oak
Planked, Nature Line (NL)



1538 Toronto Oak
Planked, Nature Line (NL)



1519 Victoria Oak
Planked, Authentic Embossed (HO)



1579 Hudson Oak
Planked, Authentic Embossed (LP)

IMPRESSIONS



4375 Pearl Grey Oxide

AC4 | Class 32

The look of ceramic tiles.

thickness	8 mm
format	635 x 327 mm
coverage	2.28m ² per pack
lock	1cllic 2go pure



- 20 years guarantee*
- 4 sided v-groove
- A.B.C Anti bacterial coating**
- Eco-friendly - natural wood, sustainably sourced

* Detailed terms of guarantee: www.krono-original.com
 ** Tested germs: Staphylococcus aureus



K035 Crosstown Traffic

IMPRESSIONS



ROCKO



R065 Rope

AC6 | Class 34

Rocko SPC Flooring. A solid step up.

PLANKS

thickness	5 mm
format	1210 x 192 mm
coverage	1.86m ² per pack
lock	1clic 2go pure

- 30 years guarantee
- Waterproof
- 70% marble - Mineral based board
- Stain proof and easy to clean
- Soft touch and silent walk
- Dimensionally stable
- Slide resistant
- Designed for underfloor heating
- Scratch resistant
- 4-sided V-groove
- Suitable for all domestic rooms including kitchens and bathrooms
- Digitally printed, no repeat pattern for up to 60 panels



For installation video



R090 Castlebridge

ROCKO




R082 Humidor



R078 Airflow
Planked, Hickory Scrape (HS)




R065 Rope
Planked, Hickory Scrape (HS)



R076 Bourbon Cask
Planked, Hickory Scrape (HS)



R078 Airflow



R082 Humidor
Planked, Stone Oak (SO)



R090 Castlebridge
Planked, Stone Oak (SO)

ROCKO



R096 Como

TILES

thickness	5 mm
format	600 x 295 mm
coverage	1.95m ² per pack
lock	1clic 2go pure

- 30 years guarantee
- Waterproof
- 70% marble - Mineral based board
- Stain proof and easy to clean
- Soft touch and silent walk
- Dimensionally stable
- Slide resistant
- Designed for underfloor heating
- Scratch resistant
- 4-sided V-groove
- Suitable for all domestic rooms including kitchens and bathrooms
- Digitally printed, no repeat pattern for up to 60 panels



R095 Venato
Tiled, Peetah (PT)



R062 Kronstrukta
Tiled, Peetah (PT)



R096 Como
Tiled, Peetah (PT)

KRONOSTEP



Z212 Sand Dune Oak



Z212 Sand Dune Oak
Planked, Flanders Oak (FN)



Z215 Haystack Oak
Planked, Flanders Oak (FN)

AC4 | Class 32

Rock solid SPC flooring.

thickness	4 mm
format	1280 x 192 mm
coverage	1.97m ² per pack
lock	1clik 2go pure


- 15 years guarantee
- 4 sided v-groove
- Waterproof
- Dimensionally stable
- Easy to clean, stain proof
- Designed for under floor heating
- Scratch resistant
- Easy installation
- Suitable for all domestic rooms including kitchens and bathrooms
- Digitally printed, no repeat pattern for up to 60 panels



Z200 Ramsey Oak



Z200 Ramsey Oak
Planked, Flanders Oak (FN)



R133 Rosefinch
Planked, Stone Oak (SO)

ROCKO WALL SYSTEM



R120 Native Steel

SPC Waterproof wall systems.

thickness	4 mm
format	2800 X 1230 mm
coverage	3.44m² per sheet

SPC decorative waterproof tiles are a new development among finishing and decorative materials in the Kronospan range. It is ideal for commercial and individual projects.

- Waterproof
- Lightweight
- Extraordinary large format
- Slim slabs
- Easy to work with, handle and install
- Perfect for new investments and renovations
- Can be cut, shaped, drilled
- Perfect for different subsurfaces: *concrete, tiles, gypsum plaster, plywood, osb*



For installation video




For installation over
existing tiles video



R102 Venato Nature

ROCKO WALL SYSTEM



KRONOWALL 3D



K061 Rusty Barnwood

Turn a wall into a feature.

thickness	12 mm
format	1296 x 132 mm
coverage	1.37m ² per pack
lock	1clic 2go pure

- Easy installation
- Can be fitted uniform, staggered or 'random'
- Easy clean, low maintenance
- Heat and moisture resistant
- Suitable for bathrooms*
- Suitable for built-in lighting
- Can be used to conceal cables for TV and other appliances



For installation video

*Not for use in shower cubicles / behind shower head



K060 Alabaster Barnwood



K060 Alabaster Barnwood
Planked, Authentic Embossed (BW)



K061 Rusty Barnwood
Planked, Authentic Embossed (BW)

Features at a glance.

GUARANTEE¹

All KronoOriginal® laminate floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product (detailed terms of guarantee: www.krono-original.com).

STAIN AND IMPACT RESISTANT

Whatever you might spill, whether red wine, oil or coffee, don't panic; it can be easily removed. KronoOriginal® is also abrasion resilient, robust and durable.

ECO FRIENDLY

All KronoOriginal® floors are environmentally friendly as standard, made of up to 90% wood sourced from sustainably managed forests. What's more, the entire production chain – from raw materials to the finished product – has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.

A.B.C. ANTI BACTERIAL COATING²

Keeping floors clean and free of bacteria is in everybody's interests, helping suppress allergies and prevent illness. The Anti Bacterial Coating on our flooring has exceeded the international standard ISO 22196:2011, confirming that it inhibits the growth of microorganisms.

AUTHENTIC EMBOSSED

The high quality Authentic Embossed structures feature elegant contrasting and a thrilling multi-gloss effect that emphasises the depth of the structure with matt and gloss elements that reflect the light differently. The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.

MICROSCRATCH PROTECT

The especially durable surface will protect your floors even better against micro-scratches through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.

INSTALLATION

The KronoOriginal® installation systems have been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.

48 HOURS OF SPLASH-WATER PROTECTION³

Spilled a glass of water or had a similar mishap? No problem: floors featuring MO.RE! technology offer you as much as 48 hours of splash-water protection.

100 H+ SPLASH-WATER PROTECTION GUARANTEED⁴

When it comes to the little accidents of everyday life, with H₂O Floor, you can relax and calmly mop up the liquid. You can rest in the complete assurance that little mishaps won't turn into big disasters.

PET PROOF

Thanks to their robust surface, MO.RE! technology and the antibacterial comfort, Atlantic floors are eminently suitable for households with pets.

LIGHT-RESISTANT⁵

Atlantic floors are light-resistant according to level 6, the highest on the blue wool scale, i.e. even with prolonged exposure to sunlight, they remain colorfast and do not fade.

O.R.C.A. ORGANIC RIGID COREBOARD ANTISTATIC⁶














O.R.C.A. is doubly good. It unites the best qualities of biologically based floors and conventional waterproof floor coverings. In O.R.C.A., organic materials are made resistant to liquids with special technology.



1) Detailed terms of guarantee: www.krono-original.com. 2) Tested germs: Staphylococcus aureus. 3) According to works standard specification KRONOSPAN WN-103, www.floor-with-more.com. 4) 24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.100hour-test.com. 5) According to Level 6 of the Blue Wool Scale (method for calculating lightresistance). 6) Consists of natural wood and an organic chemical binder.

Textures

There are numerous textures including superbly realistic embossed-in-register wood-grains, bevel edged planks and various stone tile effects. Gloss or matt, smooth or rustic, there is a perfect finish for every style of room.



Laminate Flooring

Collection Plank size	Pack Coverage	Panels Per Pack	AC Rating	Abrasion Class	Guarantee**	Authentic Embossed	Splash- water protection	Anti Bacterial Coating ²	Joint	V-groove	FSC®	PEFC®	Packaging* Supplied
ATLANTIC 12 1285 X 192 X 12 MM	1.48m²	6	33	AC5	30 years	Yes	48h+	Yes	1 clic2go Pure	Yes	Yes	-	KronoOriginal
ATLANTIC 8 1285 x 192 x 8mm	2.22m²	9	32	AC4	20 years	Yes¹	48h+	Yes	1 clic2go Pure	Yes	Yes	-	KronoOriginal
SUPER NATURAL 1285 x 192 x 8mm	2.22m²	9	32	AC4	20 years	Yes¹	-	Yes	1 clic2go Pure	Yes	Yes	Yes	KronoOriginal
VINTAGE 1285 x 192 x 10mm	1.73m²	7	32	AC4	30 years	Yes	-	Yes	1 clic2go Pure	Yes	Yes	Yes	KronoOriginal
COLLECTION ART 1285 x 192 x 12mm	1.48m²	6	33	AC4	20 years	-	-	Yes	1 clic2go Pure	Yes	Yes	-	Euro Home
EASY TOUCH 1383 x 159 x 8mm	2.19m²	10	32	AC4	30 years	-	-	Yes	Fold down system	Yes	-	Yes	Kaindo
COLLECTION COUNTRY 1285 x 192 x 7mm	2.47m²	10	31	AC3	15 years	-	-	Yes	Twin Clic	Yes	Yes	-	Euro Home
H₂O FLOOR TILES 635 X 327 X 8mm	2.28m²	11	33	AC5	30 years	Yes¹	100 hr	Yes	1 clic2go Pure	Yes	-	Yes	H₂O
H₂O FLOOR PLANKS 1285 X 192 X 8mm	2.22m²	9	33	AC5	30 years	Yes¹	100 hr	Yes	1 clic2go Pure	Yes	-	Yes	H₂O
IMPRESSIONS 635 X 327 x 8mm	2.28m²	11	32	AC4	20 years	Yes¹	-	Yes	1 clic2go Pure	Yes	-	Yes	KronoOriginal

SPC Flooring

Collection Plank size	Pack Coverage	Panels Per Pack	AC Rating	Abrasion Class	Guarantee**	100% waterproof	Soft touch and silent walk	Anti Bacterial Coating***	Dimensionally stable	Joint	V-groove	Packaging* Supplied
ROCKO PLANKS 1210 X 192 X 5mm	1.86m²	8	34	AC6	30 years	Yes	Yes	Yes	Yes	1 clic2go Pure	Yes	Rocko
ROCKO TILES 600 X 295 x 5mm	1.95m²	11	34	AC6	30 years	Yes	Yes	Yes	Yes	1 clic2go Pure	Yes	Rocko
KRONOSTEP 1280 X 192 X 4mm	1.97m²	8	32	AC4	15 years	Yes	Yes	Yes	Yes	1 clic2go Pure	Yes	Kronostep

Rocko SPC Wall System

Collection Plank size	Pack Coverage	Panels Per Pack	Guarantee**	100% waterproof	Stain proof and easy to clean	Fire resistant	Dimensionally stable	Scratch resistant	Soft touch	Mineral based board	Easy installation	Packaging* Supplied
ROCKO WALL SYSTEM 2800 X 1230 X 12mm	3.44m²	1	30 years	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Rocko

Kronowall 3D

Collection Plank size	Pack Coverage	Panels Per Pack	3D Effect	Innovative installation system	Guarantee**	Anti Bacterial Coating ²	Lightfast surface	Suitable for bathrooms	Heat Resistant	FSC	PEFC	Packaging* Supplied
KRONOWALL 3D³ 1296 x 132 x 12mm	1.37m²	8	Yes	Yes	30 years	Yes	Yes	Yes	Yes	-	Yes	Kronowall 3D

* Flooring will be supplied in branded packaging indicated in the chart above. ** According to the conditions of guarantee (detailed terms of guarantee: www.krono-original.com). 1) Selected decors. 2) Tested germs: Staphylococcus aureus. 3) Not for use in shower cubicles / behind shower head.

For your habitat, and for the environment.

Only wood from sustainably managed forests. Resource-efficient production. All of this amounts to an expression of a love that goes beyond numerical values: our love of nature.



K461 Antique Volcano Oak



kronospan

Kronospan Limited
Chirk, Wrexham, LL14 5NT
Phone: 01691 773361 sales@kronospan.co.uk